

# Product Information

MOVING YOUR WORLD



## SILKOLENE CONTACT CLEANER SPRAY

Electric contact cleaner.

### Description

SILKOLENE CONTACT CLEANER SPRAY is a powerful solvent cleaner designed to clean delicate components such as those found in electrical equipment.

### Application

SILKOLENE CONTACT CLEANER SPRAY is perfect for cleaning fouled plugs, dirty points and other precision parts and electrical components. SILKOLENE CONTACT CLEANER SPRAY is also ideal for cleaning suspension and engine components during assembly." Isolate electrical equipment before use. Ensure location is well ventilated. Ensure power is switched off and allow any hot surfaces to cool. Shake can well before use. Locate nozzle 6 to 8 inches (15 to 20 cm) from the surface and spray directly onto the electrical or electronic device or circuit board and remove any contaminants. Tilt surface while spraying to allow excess to run off. Allow to dry completely before restoring power." Do not spray on a naked flame or any incandescent material and follow the safety information on the label.

### Advantages

- Safe to use on sensitive electrical components.
- Cleans oil, dirt, dust and condensation from electrical components.
- Dries quickly.
- Leaves no residue.

### Specifications

- -

### Approvals

- -

### FUCHS Recommendations

- -

# Product Information

*MOVING YOUR WORLD*



## TYPICAL CHARACTERISTICS

---

Density at 15°C	DIN 51757	0.63 g/ml
Product Dyeing		none

# Product Information

*MOVING YOUR WORLD*



## Notes

The information contained in this product information is based on the experience and know-how of FUCHS LUBRICANTS (UK) plc in the development and manufacturing of lubricants and represents the current state-of-the-art. The performance of our products can be influenced by a series of factors, especially the specific use, the method of application, the operational environment, component pre-treatment, possible external contamination, etc. For this reason, universally valid statements about the function of our products are not possible.

Our products must not be used in aircraft or spacecraft. Our products may be used in manufacture of components for aircraft or spacecraft if they are removed without residue from the components prior to assembly into the aircraft or spacecraft.

The information given in this product information represents general, non-binding guidelines. No warranty expressed or implied is given concerning the properties of the product or its suitability for any given application. We therefore recommend that you consult a FUCHS LUBRICANTS (UK) plc application engineer to discuss application conditions and the performance criteria of the products before the product is used. It is the responsibility of the user to test the functional suitability of the product and to use it with the corresponding care.

Our products undergo continuous improvement. We therefore retain the right to change our product program, the products, and their manufacturing processes as well as all details of our product information sheets at any time and without warning, unless otherwise provided in customer-specific agreements. With the publication of this product information, all previous editions cease to be valid. Any form of reproduction requires express prior written permission from FUCHS LUBRICANTS (UK) plc.

© FUCHS LUBRICANTS (UK) plc. All Rights reserved.