

# Product Information

*MOVING YOUR WORLD*



## SILKOLENE FOAM FILTER CLEANER

**Advanced motorcycle foam filter cleaner.**

### Description

SILKOLENE FOAM FILTER CLEANER is a highly effective, water-rinsable cleaner formulated especially for cleaning foam filters. SILKOLENE FOAM FILTER CLEANER easily removes dirt, dust, soil, grease, and grime thereby extending the life of filters. SILKOLENE FOAM FILTER CLEANER can also be used for the degreasing of engine components. SILKOLENE FOAM FILTER CLEANER is far safer and less costly than using petrol. Being water-rinsable it makes the foam filter substantially cleaner. It is compatible with all foam filter construction materials and adhesives.

### Application

SILKOLENE FOAM FILTER CLEANER is suitable for use in all motorcycles, quad bikes, ATVs and UTVs where a foam filter-type air cleaning system is used. DIRECTIONS FOR USE: Immerse filter in SILKOLENE FOAM FILTER CLEANER and agitate to remove dirt and contaminated oil. Rinse with water, squeeze out and let dry. NOTE: Rescrew top immediately after use (to avoid evaporation). For information on product safety and proper disposal please refer to the latest Material Safety Data Sheet.

### Advantages

- Easy and safe to use.
- Removes dirt and grime effectively.
- Dries quickly.
- Compatible with all commercially available filter materials.

### Specifications

- -

### Approvals

- -

### FUCHS Recommendations

- -

# Product Information

*MOVING YOUR WORLD*



## TYPICAL CHARACTERISTICS

---

Density at 15°C	DIN 51757	0.808 g/ml
Closed Flash Point	ASTM D93	76 °C

# Product Information

*MOVING YOUR WORLD*



## Notes

The information contained in this product information is based on the experience and know-how of FUCHS LUBRICANTS (UK) plc in the development and manufacturing of lubricants and represents the current state-of-the-art. The performance of our products can be influenced by a series of factors, especially the specific use, the method of application, the operational environment, component pre-treatment, possible external contamination, etc. For this reason, universally valid statements about the function of our products are not possible.

Our products must not be used in aircraft or spacecraft. Our products may be used in manufacture of components for aircraft or spacecraft if they are removed without residue from the components prior to assembly into the aircraft or spacecraft.

The information given in this product information represents general, non-binding guidelines. No warranty expressed or implied is given concerning the properties of the product or its suitability for any given application. We therefore recommend that you consult a FUCHS LUBRICANTS (UK) plc application engineer to discuss application conditions and the performance criteria of the products before the product is used. It is the responsibility of the user to test the functional suitability of the product and to use it with the corresponding care.

Our products undergo continuous improvement. We therefore retain the right to change our product program, the products, and their manufacturing processes as well as all details of our product information sheets at any time and without warning, unless otherwise provided in customer-specific agreements. With the publication of this product information, all previous editions cease to be valid. Any form of reproduction requires express prior written permission from FUCHS LUBRICANTS (UK) plc.

© FUCHS LUBRICANTS (UK) plc. All Rights reserved.