



RDMOTO CZECH REPUBLIC
info@rdmoto.cz
www.rdmoto.cz

CF14

Suzuki DL650 V-Strom 2004-2010

Kit for the left side

No.	Description	Cat.no.	Pcs
1	Crash bar		1
2	Bolt M8x30mm	834	1
3	Bolt M8x50mm	837	3
4	Pad M8 (spring)	800	3
5	Cover on head of bolt	X5	3
6	Dural. cylinder d=13mm	86	2
7	Plastic plug into the tube	X19	1
8	Advertising sticker RDmoto		1
9	Dural. cylinder d=16mm	252	1

Kit for the right side

No.	Description	Cat.no.	Pcs
1	Crash bar		1
2	Bolt M8x50mm	837	3
3	Pad M8 (spring)	800	3
4	Cover on head of bolt	X5	3
5	Dural. cylinder d=13mm	86	2
6	Plastic plug into the tube	X19	1
7	Advertising sticker RDmoto		1
9	Dural. cylinder d=16mm	252	1

Installation:

Make the installation of the crash bar according to the instruction on the below attached photos.

Warning – we recommend to use safety glue on threads of all bolts (moderate strong – blue colour).

The right side:




two bolts M8x50mm + two duralumin cylinders 13mm + two pads (spring) + two covers on head of bolt

bolt M8x50 mm + cylinder 13mm + pad (spring) + cover on head of bolt

for connecting of the left and right side of the crash bars; bolt M8x30mm

The left side:



for connecting of the
left and right side of
the crash bars (viz
the right side)

bolt M8x50 mm +
cylinder 13mm + pad
(spring) + cover on
head of bolt

two bolts M8x50mm + two
duralumin cylinders 13mm +
two pads (spring) + two
covers on head of bolt