

Product Information

MOVING YOUR WORLD



SILKOLENE ALL IN ONE SPRAY

General purpose maintenance spray.

Description

SILKOLENE ALL IN ONE SPRAY is a Premium Performance multi-purpose, penetrating oil, moisture repellent spray with many uses including cleaning, protecting and lubricating.

Application

SILKOLENE ALL IN ONE SPRAY has excellent dewatering properties, repels moisture, penetrates corroded threads, lubricates and even offers short term corrosion protection. SILKOLENE ALL IN ONE SPRAY can be used in and around the home, garage and workshop. SILKOLENE ALL IN ONE SPRAY is a valuable product for every mechanic and an essential piece of emergency kit for all riders. NOTE: May affect certain rubbers and plastics. Ensure location is well ventilated. Spray directly onto component with nozzle approximately 6 to 8 inches (15 to 20 cm) away. Allow to dry or create protective film. Wipe of any excess For information on product safety and proper disposal please refer to the latest Material Safety Data Sheet.

Advantages

- Lubricates and penetrates.
- Excellent dewatering properties.
- Provides a thin anti-corrosion protective film.
- Do not spray on a naked flame or any incandescent material and follow the safety information on the label.

Specifications

- -

Approvals

- -

FUCHS Recommendations

- -

Product Information

MOVING YOUR WORLD



TYPICAL CHARACTERISTICS

Density at 15°C	DIN 51757	0.7 g/ml
Product Dyeing		Light Brown

Product Information

MOVING YOUR WORLD



Notes

The information contained in this product information is based on the experience and know-how of FUCHS LUBRICANTS (UK) plc in the development and manufacturing of lubricants and represents the current state-of-the-art. The performance of our products can be influenced by a series of factors, especially the specific use, the method of application, the operational environment, component pre-treatment, possible external contamination, etc. For this reason, universally valid statements about the function of our products are not possible.

Our products must not be used in aircraft or spacecraft. Our products may be used in manufacture of components for aircraft or spacecraft if they are removed without residue from the components prior to assembly into the aircraft or spacecraft.

The information given in this product information represents general, non-binding guidelines. No warranty expressed or implied is given concerning the properties of the product or its suitability for any given application. We therefore recommend that you consult a FUCHS LUBRICANTS (UK) plc application engineer to discuss application conditions and the performance criteria of the products before the product is used. It is the responsibility of the user to test the functional suitability of the product and to use it with the corresponding care.

Our products undergo continuous improvement. We therefore retain the right to change our product program, the products, and their manufacturing processes as well as all details of our product information sheets at any time and without warning, unless otherwise provided in customer-specific agreements. With the publication of this product information, all previous editions cease to be valid. Any form of reproduction requires express prior written permission from FUCHS LUBRICANTS (UK) plc.

© FUCHS LUBRICANTS (UK) plc. All Rights reserved.